

ALUMERO

AS 2.1

**BEAVERTAIL
REPLACEMENT BOARD**

EN

DATA SHEET

BEAVERTAIL REPLACEMENT BOARD AS 2.1

Maximum sealing

- + For use on beavertail roofs
- + Lightweight and robust
- + Sealing by compressor tape
- + Quick and easy mounting
- + Corrosion and wear resistant due to high-quality galvanized surface



Technical details

Area of application:	Beavertail roofs
Roof pitch:	10°-60°
Attachment method:	Plate-head screws
Mounting:	Parallel to roof
Specific roof conditions:	The structural load-bearing capacities of roof structures and building frames must be officially certified
Materials:	DX51 + AZ150



ALUMERO.PRO.TOOL

8-step project plan

1 Master data

2 Roof data

3 Roof specifics

4 PV Modules

5 Construction design

We give customers the opportunity to generate technical, project-related system set-ups, including statis calculations and project reports using the **Alumero.Pro.Tool** online software.

6 CAD Plan

7 Statics

8 Materials list



System components

Additional articles can be found in our product catalogue or on our website: www.alumerogroup.eu/en



Beavertail Replacement

Board AS 2.1

Product number:
802620



Compressor tape

15×30×180 mm

Included in
802620



Plate-head screws

TX20 4 × 30mm

Included in
802620

makes us stronger.